



Material Safety Data Sheet

Material Name: *Ultracare*™ Heavy-Duty Sealer & Coating Stripper

ID: NH00018

***** Section 1 - Chemical Product and Company Identification *****

Material Name: Ultracare Heavy Duty Sealer & Coating Stripper
Product Use

Manufacturer Information

USA and Puerto Rico

MAPEI

1144 East Newport Center Drive

Deerfield Beach, FL 33442

Phone: 1-954-246-8888

Canada

MAPEI

2900 Francis-Hughes Avenue

Laval, QC H7L 3J5

Phone: 1-450-662-1212

IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPLOSION, EXPOSURE OR ACCIDENT, CONTACT THE FOLLOWING NUMBERS:

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300

(Canada) CANUTEC 1-613-996-6666

***** Section 2 - Hazards Identification *****

Emergency Overview

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication). This product is irritating to the eyes and skin. May be harmful or fatal if swallowed.

Hazard Statements

CAUTION! IRRITANT. MAY IRRITATE EYES. MAY IRRITATE SKIN. Wear suitable gloves and eye/face protection.

Potential Health Effects: Eyes

This product is irritating to the eyes.

Potential Health Effects: Skin

This product is irritating to the skin. This product may cause sensitization by skin contact.

Potential Health Effects: Ingestion

This product may be harmful if it is swallowed.

Potential Health Effects: Inhalation

None identified.

Medical Conditions Aggravated by Exposure

Hypersensitivity to product, allergies, and skin or respiratory disorders

Potential Environmental Effects

Components of this product are hazardous to aquatic life.

HMIS Ratings: Health: 2 Fire: 1 Reactivity: 0 Pers. Prot.: Safety glasses, gloves

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

***** Section 3 - Composition / Information on Ingredients *****

CAS #	Component	Percent
1119-40-0	Dimethyl glutarate	5-10
94266-47-4	Citrus Terpenes	3-7
29911-28-2	2-Propanol, 1-(2-butoxy-1-methylethoxy)-	3-7
106-65-0	Dimethyl succinate	1-5
627-93-0	Dimethyl adipate	1-5
53320-86-8	Silicic acid, lithium magnesium sodium salt	1.5

Material Safety Data Sheet

Material Name: *Ultracare*TM Heavy Duty Sealer & Coating Stripper

ID: NH00018

*** Section 4 - First Aid Measures ***

First Aid: Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

First Aid: Skin

Flush with large amounts of water. If irritation persists, get medical attention.

First Aid: Ingestion

If swallowed, do not induce vomiting. Seek medical advice immediately and show the container or label.

First Aid: Inhalation

Immediately remove the affected person to fresh air. If symptoms persist, get medical attention.

First Aid: Notes to Physician

Provide general supportive measures and treat symptomatically.

*** Section 5 - Fire Fighting Measures ***

General Fire Hazards

See Section 9 for Flammability Properties.

This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue may pose a moderate fire hazard.

Hazardous Combustion Products

Irritating and toxic gases or fumes may be released during a fire. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Extinguishing Media

Dry chemical (preferred), foam, water.

Unsuitable Extinguishing Media

None identified.

Specific Hazards Arising From the Chemical

None identified.

Fire Fighting Equipment/Instructions

Firefighters should wear full protective gear.

NFPA Ratings: Health: 2 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

*** Section 6 - Accidental Release Measures ***

Personal Precautions

Wear appropriate protective equipment and clothing during clean-up.

Containment Procedures

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Scoop up used absorbent into drums or other appropriate container.

Environmental Precautions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Clean-Up Procedures

Attempt to reclaim the free product, if this is possible. Shovel the material into waste container. Thoroughly wash the area with water after a spill or leak clean-up. Keep out of the reach of children.

Evacuation Procedures

None identified.

Special Procedures

Regulations vary. Consult local authorities before disposal.

*** Section 7 - Handling and Storage ***

Handling Procedures

Do not get in eyes. Do not get on skin or clothing. Keep out of the reach of children. Wash hands after handling and before eating.

Material Safety Data Sheet

Material Name: *Ultracare*TM Heavy Duty Sealer & Coating Stripper

ID: NH00018

Storage Procedures

Store in a cool, dry, well-ventilated area. Store at ambient temperature and atmospheric pressure. Keep out of sun.

*** Section 8 - Exposure Controls / Personal Protection ***

A: Component Exposure Limits

ACGIH, OSHA, NIOSH or the provinces of Canada have not developed exposure limits for any of this product's components.

Engineering Controls

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces.

PERSONAL PROTECTIVE EQUIPMENT

Personal Protective Equipment: Eyes/Face

Wear safety glasses with side shields or goggles.

Personal Protective Equipment: Skin

The use of nitrile-latex gloves is recommended.

Personal Protective Equipment: Respiratory

Not normally needed.

Personal Protective Equipment: General

Launder contaminated clothing before reuse. Use good industrial hygiene practices in handling this material.

*** Section 9 - Physical & Chemical Properties ***

Appearance:	Viscous/ Emulsion	Odor:	Citrus
Physical State:	Liquid	pH:	6.55
Vapor Pressure:	N/A	Vapor Density:	N/A
Boiling Point:	100 °C	Melting Point:	N/A
Solubility (H2O):	Soluble	Specific Gravity:	1.01
Evaporation Rate:	<1 (Butyl Acetate)	VOC:	245 g/L
Octanol/H2O Coeff.:	N/A	Flash Point:	> 100°C (Estimated)
Flash Point Method:	N/A	Upper Flammability Limit (UFL):	N/A
Lower Flammability Limit (LFL):	N/A	Burning Rate:	N/A
Auto Ignition:	N/A		

Physical Properties: Additional Information

The data provided in this section is to be used for product safety handling purposes. Please refer to Product Data Sheets, Certificates of Conformity or Certificates of Analysis for chemical and physical data for determinations of quality and for formulation purposes.

*** Section 10 - Chemical Stability & Reactivity Information ***

Chemical Stability

Stable under normal conditions.

Chemical Stability: Conditions to Avoid

Do not freeze.

Incompatibility

This product may react with strong acids, bases and oxidizing agents.

Hazardous Decomposition

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Upon decomposition, this product may emit fumes of carbon monoxide, carbon dioxide, oxides of nitrogen, and other organic compounds.

Possibility of Hazardous Reactions

Will not occur.

*** Section 11 - Toxicological Information ***

Acute Dose Effects

A: General Product Information

No information available for the product.

Material Safety Data Sheet

Material Name: *Ultracare*TM Heavy Duty Sealer & Coating Stripper

ID: NH00018

B: Component Analysis - LD50/LC50

Dimethyl glutarate (1119-40-0)

Inhalation LC50 Rat >5.6 mg/L 4 h; Oral LD50 Rat 8191 mg/kg

2-Propanol, 1-(2-butoxy-1-methylethoxy)- (29911-28-2)

Inhalation LC50 Rat >2.04 mg/L 4 h; Inhalation LC50 Rat 42.1 ppm 4 h; Oral LD50 Rat 1620 µL/kg; Dermal LD50 Rabbit 5860 µL/kg

Dimethyl succinate (106-65-0)

Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >5000 mg/kg

Dimethyl adipate (627-93-0)

Oral LD50 Rat 1920 mg/kg

Carcinogenicity

A: General Product Information

No information available for the product.

B: Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP.

Sensitization

No information available for the product.

* * * Section 12 - Ecological Information * * *

Ecotoxicity

A: General Product Information

Components of this product are hazardous to aquatic life.

B: Component Analysis - Ecotoxicity - Aquatic Toxicity

Dimethyl glutarate (1119-40-0)

Test & Species

96 Hr LC50 Pimephales promelas	19.6-26.2 mg/L [static]	Conditions
48 Hr EC50 Daphnia magna	122.1 - 163.5 mg/L	

2-Propanol, 1-(2-butoxy-1-methylethoxy)- (29911-28-2)

Test & Species

96 Hr LC50 Poecilia reticulata	841 mg/L [static]	Conditions
--------------------------------	-------------------	-------------------

Dimethyl succinate (106-65-0)

Test & Species

96 Hr LC50 Brachydanio rerio	50-100 mg/L [static]	Conditions
------------------------------	----------------------	-------------------

* * * Section 13 - Disposal Considerations * * *

US EPA Waste Number & Descriptions

A: General Product Information

No additional information available.

B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

Material Safety Data Sheet

Material Name: *Ultracare*TM Heavy Duty Sealer & Coating Stripper

ID: NH00018

*** Section 14 - Transportation Information ***

International Transportation Regulations

Not regulated as dangerous goods.

*** Section 15 - Regulatory Information ***

US Federal Regulations

A: General Product Information

All of the components of this product are listed on, or are exempted from listing on the U.S. EPA TSCA Inventory of Chemical Substances. All components of this product are included, or are exempt from inclusion, in the Canadian Domestic Substance List unless otherwise noted.

B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

State Regulations

A: General Product Information

Other state regulations may apply. Check individual state requirements.

B: Component Analysis - State

None of this product's components are listed on the state lists from CA, MA, MN, NJ, PA, or RI.

Canadian WHMIS Information

A: General Product Information



D2B

B: Component Analysis - WHMIS IDL

No components are listed in the WHMIS IDL.

Additional Regulatory Information

A: General Product Information

Supplier(s) of proprietary component(s) state that these components are contained on the TSCA inventory.

B: Component Analysis - Inventory

Component	CAS #	TSCA	CAN	EEC
Dimethyl glutarate	1119-40-0	Yes	DSL	EINECS
Citrus Terpenes	94266-47-4	Yes	DSL	EINECS
2-Propanol, 1-(2-butoxy-1-methylethoxy)-	29911-28-2	Yes	DSL	EINECS
Dimethyl succinate	106-65-0	Yes	DSL	EINECS
Dimethyl adipate	627-93-0	Yes	DSL	EINECS
Silicic acid, lithium magnesium sodium salt	53320-86-8	Yes	DSL	EINECS

*** Section 16 - Other Information ***

Reference

NH00018

Other Information

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

Material Safety Data Sheet

Material Name: **Ultracare™ Heavy Duty Sealer & Coating Stripper**

ID: NH00018

Key/Legend

ACGIH = American Conference of Governmental Industrial Hygienists; ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail; ADR/RID = European Agreement of Dangerous Goods by Road/Rail; AS = Standards Australia; BLV=Biological Limit Values; CAN = Canadian DSL and NDSL Inventories status; CAS = Chemical Abstracts Service; CC = Closed Cup; CFR = Code of Federal Regulations; DFG = Deutsche Forschungsgemeinschaft; DOT = Department of Transportation; DSL = Domestic Substances List; EEC = European Economic Community; EINECS = European Inventory of Existing Commercial Chemical Substances; ELINCS = European List of Notified Chemical Substances; EPA = Environmental Protection Agency; EU = European Union; g/L = grams per Liter; HMIS = Hazardous Materials Identification System; IARC = International Agency for Research on Cancer; IMO = International Maritime Organization; IATA = International Air Transport Association; MAK = Maximum Concentration Value in the Workplace; mg/kg = milligrams per kilogram; mg/L = milligrams per Liter; mg/m³ = milligrams per Cubic Meter; NA, N/A, S.O. = Not available or Not Applicable; NDSL = Non-Domestic Substances List; NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; NJTSR = New Jersey Trade Secret Registry; NOHSC = National Occupational Health & Safety Commission; NTP = National Toxicology Program; OC = Open Cup; OSHA = Occupational Safety and Health Administration; STEL = Short-term Exposure Limit; TDG = Transportation of Dangerous Goods; TLV = Threshold Limit Value; TSCA = Toxic Substances Control Act; TWA = Time Weighted Average; TWAEV = Time Weighted Average Exposure Value; WHMIS = Workplace Hazardous Materials Information System

Contact: Product Safety Representative

Contact Phone: 1-954-246-8888

End of Sheet NH00018