Printing date 06/05/2015

Version No. 4

Reviewed on 06/05/2015

1 Identification

- · Trade name: Pall-X 98 Comp. A
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use For professional use only.
- · Application of the substance / the mixture Water-based, 2-component parquet seal (component A)
- \cdot Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Manufacturer: PALLMANN GmbH Im Kreuz 6 D-97076 Würzburg Germany Phone +49 931-27964-0 Fax +49 931-27964-50

Supplier: UFLOOR Systems Inc. 14509 E. 33rd. Place, Unit G Aurora, CO 80011 Phone: +720-374-4810 Toll-Free: +1 866-505-4810 Fax: +1 720-374-2113


- Information department: Products Development Lab E-Mail: msds.info@uzin-utz.com
- Emergency telephone number: For Chemical Emergency Spill Leak Fire Exposure or Accident Call CHEMTREC Day or Night: DOMESTIC NORTH AMERICA 800-424-9300 International, call +49 621 60 43 333

2 Hazard(s) identification

• *Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).*

• Additional information: Also observe SDS of component B.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · NFPA ratings (scale 0 4)



• Other hazards

(Contd. on page 2)

US

Printing date 06/05/2015

Version No. 4

Reviewed on 06/05/2015

Trade name: Pall-X 98 Comp. A

(Contd. of page 1) NFPA Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe. NFPA is the National Fire Protection Association. HMIS Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe. HMIS®, the Hazardous Materials Identification System, is a registered mark of the National Paint and Coatings Association (NPCA). • **Results of PBT and vPvB assessment** • **PBT:** Not applicable.

• **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	3-butoxypropan-2-ol	1 - <3%	
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227		
34590-94-8	(2-methoxymethylethoxy)propanol	1 - <3%	
	Flam. Liq. 4, H227		

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

Also observe SDS of component B.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO_2 extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:
- No special measures required.
- However, also observe SDS of component B.
- · *Additional information: Flash point:* > $100 \degree C$ (> $212\degree F$).

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

US

Printing date 06/05/2015

*

*

Version No. 4

Reviewed on 06/05/2015

Trade name: Pall-X 98 Comp. A

Moth	nods and material for containment and cleaning up:			
	rb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus	<i>t</i>).		
	ose contaminated material as waste according to item 13.			
Reference to other sections				
See S	Section 7 for information on safe handling.			
See S	See Section 8 for information on personal protection equipment.			
See S	Section 13 for disposal information.			
Han	ndling and storage			
	dling:			
	autions for safe handling			
	r suitable protective clothing, gloves and eye/face protection.			
	ediately remove all soiled and contaminated clothing.			
	away from foodstuffs, beverages and feed. d contact with the eyes and skin.			
	h hands before breaks and at the end of work.			
	observe SDS of component B.			
	mation about protection against explosions and fires: No special measures required.			
•				
	litions for safe storage, including any incompatibilities			
Store Real	ige: iirements to be met by storerooms and receptacles: No special requirements.			
	mation about storage in one common storage facility: Not required.			
	manon about storage in one common storage jacany. Not required.			
	her information about storage conditions: Protect from frost.			
Furt Spec	her information about storage conditions: Protect from frost. ific end use(s) No further relevant information available. osure controls/personal protection			
Furth Spec Exp	<i>ific end use(s)</i> No further relevant information available.			
Furti Spec Exp Addi	ific end use(s) No further relevant information available. osure controls/personal protection			
Furth Spect Exp Addi Cont Com	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace:			
Furth Spec Exp Addi Cont Com 3459	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol			
Furth Spec Exp Addi Cont Com 3459	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace:			
Furth Spector Addit Cont Com, 3459 PEL	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm			
Furth Spector Addit Cont Com, 3459 PEL	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin			
Furth Spect Addi Cont Com 3459 PEL REL	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 100 ppm			
Furth Spect Addi Cont Com 3459 PEL REL	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 100 ppm Skin			
Furth Spect Addi Cont Com 3459 PEL REL	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 150 ppm Skin Short-term value: 909 mg/m ³ , 150 ppm			
Furth Spect Spect Addi Cont Com 3459 PEL REL TLV Expo	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 150 ppm Skin Short-term value: 909 mg/m ³ , 150 ppm Long-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin			
Furth Spect Spect Addi Cont Com 3459 PEL REL TLV Expo Perso	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 150 ppm Skin Short-term value: 909 mg/m ³ , 150 ppm Long-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 909 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin			
Furth Spect Spect Addi Cont Com 3459 PEL REL TLV Expo Gene	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 909 mg/m ³ , 150 ppm Long-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin			
Furth Spect Spect Addi Cont Com 3459 PEL REL TLV Expo Perse Gene Immo	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin osure controls onal protective equipment: eral protective and hygienic measures: ediately remove all soiled and contaminated clothing.			
Furth Spect Spect Addi Cont Com 3459 PEL REL TLV Expo Perso Gene Immo	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 150 ppm Skin Short-term value: 909 mg/m ³ , 150 ppm Long-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin soure controls ponal protective equipment: eral protective and hygienic measures: ediately remove all soiled and contaminated clothing. r suitable protective clothing, gloves and eye/face protection.			
Furth Spect Spect Addi Cont Cont 3459 PEL REL TLV Expo Perso Gene Immo Wear Keep	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 150 ppm Long-term value: 909 mg/m ³ , 150 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin soure controls ponal protective equipment: rral protective and hygienic measures: ediately remove all soiled and contaminated clothing. r suitable protective clothing, gloves and eye/face protection. a way from foodstuffs, beverages and feed.			
Furth Spect Spect Addi Cont Com 3459 PEL REL TLV Expo Gene Unme Vean Keep Avoid	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin sure controls onal protective equipment: eral protective equipment: eral protective equipment: eral protective equipment: r suitable protective clothing, gloves and eye/face protection. away from foodstuffs, beverages and feed. d contact with the eyes and skin.			
Furth Spect Spect Addi Cont Com 3459 PEL REL TLV Expo Gene Unme Vear Keep Avoid Wash	ific end use(s) No further relevant information available. osure controls/personal protection tional information about design of technical systems: No further data; see item 7. rol parameters ponents with limit values that require monitoring at the workplace: 0-94-8 (2-methoxymethylethoxy)propanol Long-term value: 600 mg/m ³ , 100 ppm Skin Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 150 ppm Long-term value: 909 mg/m ³ , 150 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin Short-term value: 606 mg/m ³ , 100 ppm Skin soure controls ponal protective equipment: rral protective and hygienic measures: ediately remove all soiled and contaminated clothing. r suitable protective clothing, gloves and eye/face protection. a way from foodstuffs, beverages and feed.			

Printing date 06/05/2015

Version No. 4

Reviewed on 06/05/2015

(Contd. of page 3)

Trade name: Pall-X 98 Comp. A

· Protection of hands:



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

• **Material of gloves** Butyl rubber, BR Nitrile rubber, NBR

- Recommended thickness of the material: $\geq 0.5 \text{ mm}$
- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and a General Information	I I I	
Appearance:		
Form:	Fluid	
Color:	White	
Odor:	Weak, characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C (68 °F):	8.3	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	$> 100 \ ^{\circ}C \ (> 212 \ ^{\circ}F)$	
Ignition temperature:	$> 200 \ ^{\circ}C \ (> 392 \ ^{\circ}F)$	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.02 g/cm ³ (8.512 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
		(Contd. on page

- US

Version No. 4

Reviewed on 06/05/2015

(Contd. of page 4)

Trade name: Pall-X 98 Comp. A

Printing date 06/05/2015

Kinematic at 20 °C (68 °F): \cdot Other information

24 s (DIN 53211/4) No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- Specific symptoms in biological assay:
- · Primary route(s) of entry: Inhalation, skin contact, eye contact, ingestion.
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. Also observe the safety data sheet of component B.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

(Contd. on page 6)

US ·

Printing date 06/05/2015

Version No. 4

Reviewed on 06/05/2015

Trade name: Pall-X 98 Comp. A

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Do not allow product to reach sewage system.

Absorb smaller quantities with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust), allow to harden, then dispose of as construction waste.

Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14 Transport information

· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	-
· DOT, ADR, ADN, IMDG, IATA	Void
· DOT, ADN, IMDG, IATA	
· Class	Void
· DOT, IMDG, IATA	Void
· Environmental hazards:	
• Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport/Additional information	: Not regulated as hazardous material according to the above specifications.
· UN ''Model Regulation'':	-

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · SARA (Superfund Amendments and Reauthorization Act)
- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 06/05/2015

Version No. 4

Trade name: Pall-X 98 Comp. A

(Contd. of page 6)

· Chemicals known to cause develop	mental toxicity:
------------------------------------	------------------

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

• Hazard pictograms Void

· Signal word Void

· Hazard statements Void

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Recommended restriction of use For professional use only.

· Contact:

USA: Daniel Gill, phone + 1 720-374-4810 Germany: Dr. Koette, Tel. +49 931.279.6425

· Date of preparation / last revision 06/05/2015 / 3

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EIINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
Flam. Liq. 4: Flammable liquids, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

• * Data compared to the previous version altered.

US